Author index

Abood, J.K., Lösel, D.M. and Ayres, P.G. Lithium chloride and cucumber powdery mildew infection, 108

Adams, M.J. see Jianping Chen, 226

Adams, M.J. The distribution of barley yellow mosaic virus (BaYMV) and barley mild mosaic virus (BaMMV) in UK winter barley samples, 1987–1990, 53

Agranovsky, A.A. see Rogov, V.V., 515

Anamthawat-Jonsson, K. see Nicholson, P., 584

Ann, D.M. see O'Neill, T.M., 78

Antoniw, J.F. see Chen, Z.C., 612

Asher, M.J.C. and Williams, G.E. Forecasting the national incidence of sugar-beet powdery mildew from weather data in Britain, 100

Asher, M.J.C. see Blunt, S.J., 257

Ayres, P.G. see Abood, J.K., 108

Bagabe, M. see O'Neill, T.M., 78

Ball, S.F.L. see Velastegui, J.R., 476

Barber, M.S. *Recognition and Response in Plant–Virus Interactions* (book review), 317

Barbetti, M.J. Effects of temperature and humidity on diseases caused by *Phoma medicaginis* and *Leptosphaerulina trifolii* in lucerne (*Medicago sativa*), 296

Bartlett, P.W. see Cotten, J., 311

Beever, R.E., Pak, H.A. and Laracy, E.P. An hypothesis to account for the behaviour of dicarboximide-resistant strains of *Botrytis cinerea* in vineyards, 342

Beresford, R.M. and Royle, D.J. The assessment of infectious disease for brown rust (*Puccinia hordei*) of barley, 374

Blunt, S.J., Asher, M.J.C. and Gilligan, C.A. Infection of sugar beet by *Polymyxa betae* in relation to soil temperature, 257

Boelema, B.H. see Serfontein, S., 382

Brasier, C.M. *Dutch Elm Disease—The Early Papers* (book review), 313

Brooker, J.D. see Matthew, J.S., 67

Budge, S.P. and Whipps, J.M. Glasshouse trials of *Coniothyrium minitans* and *Trichoderma* species for the biological control of *Sclerotinia sclerotiorum* in celery and lettuce, 59

Bugante, R. see Dodd, J.C., 576

Buonaurio, R. see Cappelli, C., 148

Butler, D.R. and Jadhav, D.R. Requirements of leaf wetness and temperature for infection of groundnut by rust, 395

Byrde, R.J.W. *Compendium of Apple and Pear Diseases* (book review), 159

Cameron, A.M. see Carnegie, S.F., 352

Campbell, R. see Renwick, A., 524

Cappelli, C., Buonaurio, R. and Polverari, A. Occurrence of *Penicillium corymbiferum* on saffron in Italy, 148

Carnegie, S.F. and Cameron, A.M. The role of soil, seed-potato tuber and haulm in the transmission of *Phoma foveata* from infected seed to daughter tubers, 352

Carver, T.L.W. see Thomas, B.J., 645

Caten, C.E. see Newton, A.C., 546

Chen, Y.M. and Strange, R.N. Synthesis of the solanapyrone phytotoxins by *Ascochyta rabiei* in response to metal cations and development of a defined medium for toxin production, 401

Chen, Z.C., White, R.F., Antoniw, J.F. and Lin, Q. Effect of pokeweed antiviral protein (PAP) on the infection of plant viruses, 612

Chevalier, M., Lespinasse, Y. and Renaudin, S. A microscopic study of the different classes of symptoms coded by the *Vf* gene in apple for resistance to scab (*Venturia inaequalis*), 249

Clare, B.G. see Mayfield, A.H., 561
Coe, S. see Renwick, A., 524
Cole, R.A. see Phelps, K., 161
Coley-Smith, J.R. see Rewal, N. 554
Coley-Smith, J.R., Ridout, C.J., Mitchell, C.M. and Lynch, J.M. Control of bottom rot disease of lettuce (*Rhizoctonia solani*) using preparations of *Trichoderma viride*, *T. harzianum* or tolclofos-methyl, 359
Cook, R.J. *Crop Protection Information—an International Perspective* (book review), 158
Cook, R.T.A. see O'Neill, T.M., 478
Cooke, L.R. *Crop Protection Handbook—Potatoes* (book review), 492
Corran, A.J. *The Biochemistry and Uses of Pesticides* (book review), 488
Cotten, J. and Hooper, D.J. Two new records of nematodes associated with azaleas in England: *Paratrichodorus renifer* siddiqui, *Tylenchorhynchus claytoni* Steiner, 308
Cotten, J. and Hooper, D.J. Two new records of nematodes associated with azaleas in England: *Paratrichodorus renifer* siddiqi, *Tylenchorhynchus claytoni* Steiner, 308
Davidse, L.C. see Spielman, L.J., 422
de Lourdes Mendes, M. and Muchovej, J.J. *Pestalotiopsis* leaf spot of Brazil wood, *Caesalpinia echinata*, 635
Dedryver, C.A. see Henry, M., 93
Demski, J.W. see Sreenivasulu, P., 503
Dhitaphichit, P. and Jones, P. Virulent and fungicide-tolerant races of loose smut (*Ustilago nuda* and *U. tritici*) in Ireland, 508
Dhitaphichit, P. see Jones, P., 268
Dik, A.J., Fokkema, N.J. and van Pelt, J.A. Interferences of nutrients with fungicide activity against *Septoria nodorum* on wheat leaves, 25
Dodd, J.C., Bugante, R., Koomen, I., Jeffries, P. and Jeger, M.J. Pre- and post-harvest control of mango anthracnose in the Philippines, 576
Dodd, J.C., Estrada, A.B., Matcham, J., Jeffries, P. and Jeger, M.J. The effect of climatic factors on *Colletotrichum gloeosporioides*, causal agent of mango anthracnose, in the Philippines, 568
Drenth, A. see Spielman, L.J., 422
Duncan, J.M. see Harrison, J.G., 431
Duncan, J.M. see Kennedy, D.M., 387

Echandi, E. see Escande, A.R., 190, 197
Elad, Y. and Volpin, H. Heat treatment for the control of rose and carnation grey mould (*Botrytis cinerea*), 278
Entwistle, A.R. see Phelps, K., 161
Escande, A.R. and Echandi, E. Effect of growth media, storage environment, soil temperature and delivery to soil on binucleate *Rhizoctonia* AG-G for protection of potato from Rhizoctonia canker, 190
Escande, A.R. and Echandi, E. Protection of potato from Rhizoctonia canker with binucleate *Rhizoctonia* fungi, 197
Estrada, A.B. see Dodd, J.C., 568
Evans K. *Plant Parasitic Nematodes in Subtropical and Tropical Agriculture* (book review), 318

Fermor, T.R. see Lincoln, S.P., 136
Ferris, H. see Haris, A.R., 445, 457, 465
Fletcher, J.T. see Hartman, J.R., 85
Fokkema, N.J. see Dik, A.J., 25
Fry, W.E. see Spielman, L.J., 422

Gans, P.T., Jellis, G.J., Little, G., Logan, C. and Wastie, R.L. A comparison of methods to evaluate the susceptibility of potato cultivars to blackleg (caused by *Erwinia carotovora* subsp. *atroseptica*) in the field at different sites, 238
Gébré-Selassie, K. see Marchoux, G., 347

Gilligan, C.A. see Blunt, S.J., 257
Gilligan, C.A. see Werker, A.R., 8
Gisi, U. see Kataria, H.R., 203
Gladders, P. see O'Neill, T.M., 478
Gorbunova, N.I. see Rogov, V.V., 515
Gu, W. see Spielman, L.J., 422
Guerri, J., Moreno, P., Muñoz, N. and Martinez, M.E. Variability among Spanish citrus tristeza virus isolates revealed by double-stranded RNA analysis, 38

Hammouda, A.M. *Coniothyrium olivaceum* causing leaf spot of tomato—a new record, 306
Harris, A.R. and Ferris, H. Interactions between *Fusarium oxysporum* f.sp. *tracheiphilum* and *Meloidogyne* spp. in *Vigna unguiculata*. 1. Effects of different inoculum densities on Fusarium wilt, 445
Harris, A.R. and Ferris, H. Interactions between *Fusarium oxysporum* f.sp. *tracheiphilum* and *Meloidogyne* spp. in *Vigna unguiculata*. 2. Specificity of different taxa, 457
Harris, A.R. and Ferris, H. Interactions between *Fusarium oxysporum* f.sp. *tracheiphilum* and *Meloidogyne* spp. in *Vigna unguiculata*. 3. Pathogenesis by *F. o. tracheiphilum* as affected by *M. javanica* and host cultivar, 465
Harrison, J.G., Lowe, R. and Duncan, J.M. Use of ELISA for assessing major gene resistance of potato leaves to *Phytophthora infestans*, 431
Hartman, J.R. and Fletcher, J.T. Fusarium crown and root rot of tomatoes in the UK, 85
Heale, J.B. *Biological Control of Soil-borne Plant Pathogens* (book review), 315
Henry, M. and Dedryver, C.A. Occurrence of barley yellow dwarf virus in pastures of western France, 93
Hollins, T.W. see Nicholson, P., 584, 626
Holz, G. see Theron, D.J., 302
Hooper, D.J. see Cotten, J., 308
Hornby, D. see Werker, A.R., 8
Hovmøller, M.S. and Østergård, H. Gametic disequilibria between virulence genes in barley powdery mildew populations in relation to a selection and recombination. II. Danish observations, 178
Hovmøller, M.S. see Østergård, H., 166
Huang, H.C. Introduction of myceliogenic germination of sclerotia of *Sclerotinia sclerotiorum* by exposure to sub-freezing temperatures, 621
Hugelshofer, U. see Kataria, H.R., 203

Jadhav, D.R. see Butler, D.R., 395
Jeffries, P. see Dodd, J.C., 568, 576
Jeger, M.J. see Dodd, J.C., 568, 576
Jellis, G. J. and Punithalingam, E. Discovery of *Didymella fabae* sp. nov., the teleomorph of *Ascochyta fabae*, on faba bean straw, 150
Jellis, G.J. see Gans, P.T., 238
Jepson, P. *Controlled Delivery of Crop-Protection Agents* (book review), 489
Jianping Chen and Adams, M. J. Serological relationships between five fungally transmitted cereal viruses and other elongated viruses, 226
Jones, A.T. *Serological Methods for Detection and Identification of Viral and Bacterial Plant Pathogens. A laboratory Manual* (book review).
Jones, D.G. *Plant Pathology in Agriculture* (book review), 158
Jones, P. and Dhitaphichit, P. Comparison of responses to floret and seedling inoculation in wheat – *Ustilago tritici* and barley – *U. nuda* combinations, 268
Jones, P. see Dhitaphichit, P., 508

Karasev, A.V. see Rogov, V.V., 515
Kataria, H.R., Hugelshofer, U. and Gisi, U. Sensitivity of *Rhizoctonia* species to different fungicides, 203
Kavanagh, J.A. see O'Sullivan, E., 128
Kennedy, D.M. and Duncan, J.M. Methods for assessing the resistance of raspberry genotypes to *Phytophthora* root rot, 387

Kerr, A. see Mazarei, M., 408
King, A.C. Observations of apothecia of *Tapesia yallundae* and the cultural phenotypes of their progeny, 367
Ko, W.H. and Kunimoto, R.K. Quick decline of macadamia trees: association with *Xylaria arbuscula*, 643
Kobiler, I. see Prusky, D., 45
Köller, W., Smith, F.D. and Reynolds, K.L. Phenotypic instability of flusilazole sensitivity in *Venturia inaequalis*, 608
Koomen, I. see Dodd, J.C., 576
Kotzé, J.M. see Labuschagne, N., 639
Kunimoto, R.K. see Ko, W.H., 643

Labuschagne, N. and Kotzé, J.M. Incidence of *Chalara elegans* in groundnut seed samples and seed transmission of blackhull, 639
Laracy, E.P. see Beever, R.E., 342
Lebeda, A. and Reinink, K. Variation in the early development of *Bremia lactucae* on lettuce cultivars with different levels of field resistance, 232
Lespinasse, Y. see Chevalier, M., 249
Lewis, G.C. *Turfgrass Pests and Diseases* (book review), 648
Lin, Q. see Chen, Z.C., 612
Lincoln, S.P., Fermor, T.R., Stead, D.E. and Sellwood, J.E. Bacterial soft rot of *Agaricus bitorquis*, 136
Little, G. see Gans, P.T., 238
Liyanage, N.I.S. and Wheeler, B.E.J. Survival of *Phytophthora meadii* in Sri Lankan soils, 436
Logan, C. see Gans, P.T., 238
Logan, C. see Serfontein, S., 382
Lösel, D.M. see Abood, J.K., 108
Lowe, R. see Harrison, J.G., 431
Lynch, J.M. see Coley-Smith, J.R., 359

Marchoux, G., Gébré-Selassie, K. and Villevieille, M. Detection of tomato spotted wilt virus and transmission by *Frankliniella occidentalis* in France, 347
Martinez, M.E. see Guerri, J., 38
Matcham, J. see Dodd, J.C., 568
Matthew, J.S. and Brooker, J.D. The isolation and characterization of polyclonal and monoclonal antibodies to anastomosis group 8 of *Rhizoctonia solani*, 67
Mayfield, A.H. and Clare, B.G. Effects of *Rhynchosporium secalis* at specific growth stages on barley grown in a controlled environment, 561
Mazarei, M. and Kerr, A. Plasmids in *Pseudomonas syringae* pv. *pisi* carry genes for pathogenicity, 408
McClement, S.J. see Pink, D.A.C., 542
Mead, A. see Phelps, K., 161
Mitchell, C.M. see Coley-Smith, J.R., 359
Moore, K. see Nashaat, N.I., 495
Moreno, P. see Guerri, J., 38
Muchovej, J.J. see de Lourdes Mendes, M., 635
Muñoz, N. see Guerri, J., 38

Naidu, R.A. see Sreenivasulu, P., 503
Nashaat, N.I. and Moore, K. The expression of components of seedling resistance to *Erysiphe graminis* f.sp. *tritici* in *Triticum timopheevii* and a hexaploid derivative, 495
Newton, A.C. and Caten, C.E. Characteristics of strains of *Septoria nodorum* adapted to wheat or to barley, 546
Nicholson, P., Hollins, T.W., Rezanoor, H.N. and Anamthawat-Jonsson, K. A comparison of cultural, morphological and DNA markers for the classification of *Pseudocercosporella herpotrichoides*, 584
Nicholson, P., Rezanoor, H.N. and Hollins, T.W. Occurrence of *Tapesia yallundae* apothecia on field and laboratory-inoculated material and evidence for recombination between isolates, 626

O'Neill, N.R. *Compendium of Alfalfa Diseases* (book review), 492
O'Neill, T.M., Bagabe, M. and Ann, D.M. Aspects of biology and control of a stem rot of cucumber caused by *Penicillium oxalicum*, 78
O'Neill, T.M., Gladders, P. and Cook, R.T.A. Powdery mildews on borage (*Borago officinalis*) and evening primrose (*Oenothera biennis*), 478
O'Sullivan, E. and Kavanagh, J.A. Characteristics and pathogenicity of isolates of *Rhizoctonia* spp. associated with damping-off of sugar beet, 128
Østergård, H. and Hovmøller, M.S. Gametic disequilibria between virulence genes in barley powdery mildew populations in relation to selection and recombination. I. Models, 166
Østergård, H. see Hovmøller, M.S., 178

Pak, H.A. see Beever, R.E., 342
Pérombelon, M.C.M. *Plant Pathogenic Bacteria: Proceedings of the 7th International Conference on Plant Pathogenic Bacteria, Budapest, Hungary, June 11–16, 1989* (book review), 647
Phelps, K., Cole, R.A., Entwistle, A.R., Mead, A. and Pink, D.A.C. Design of trials for resistance screening in semi-controlled environments, 161
Phelps, K. see Walsh, J.A., 212
Phelps, K. Some problems in the statistical analysis of trials for resistance screening, 340
Pink, D.A.C. see Phelps, K., 161
Pink, D.A.C., Walkey, D.G.A. and McClement, S.J. Genetics of resistance to beet western yellows virus in lettuce, 542
Plumbley, R.A. see Prusky, D., 45
Polverari, A. see Cappelli, C., 148
Prusky, D., Plumbley, R.A. and Kobiler, I. The relationship between antifungal diene levels and fungal inhibition during quiescent infection of unripe avocado fruits by *Colletotrichum gloeosporioides*, 45
Punithalingam, E. see Jellis, G.J., 150
Putnam, M. Root rot of lavender caused by *Phytophthora nicotianae*, 480

Ratna, A.S. see Sreenivasulu, P., 503
Reddy, D.V.R. see Sreenivasulu, P., 503
Redfern, D.B. *Melanotus proteus*: a newly recorded colonist of Sitka spruce stumps in Britain and a potential competitor for *Heterobasidion annosum*, 483
Reinink, K. see Lebeda, A., 232
Renaudin, S. see Chevalier, M., 249
Renwick, A., Campbell, R. and Coe, S. Assessment of *in vivo* screening systems for potential biocontrol agents of *Gaeumannomyces graminis*, 524
Rewal, N., Coley-Smith, J.R. and Sealy-Lewis, H.M. Studies on resistance to dichlofluanid and other fungicides in *Botrytis cinerea*, 554
Reynolds, K.L. see Köller, W., 608
Rezanoor, H.N. see Nicholson, P., 584, 626
Ridout, C.J. see Coley-Smith, J.R. 359
Robinson, D.J. *Viral Genes and Plant Pathogenesis* (book review), 490
Rogov, V.V., Karasev, A.V., Agranovsky, A.A. and Gorbunova, N.I. Characterization of an isolate of beet mosaic virus from South Kazakhstan, 515
Royle, D.J. see Beresford, R.M., 374

Sealy-Lewis, H.M. see Rewal, N., 554
Sellwood, J.E. see Lincoln, S.P., 136
Serfontein, S., Logan, C., Swanepoel, A.E., Boelema, B.H. and Theron, D.J. A potato wilt disease in South Africa caused by *Erwinia carotovora* subspecies *carotovora* and *E. chrysanthemi*, 382
Shaw, M.W. *Epidemics of Plant Diseases: Mathematical Analysis and Modelling* (book review), 491
Shaw, M.W. Interacting effects of interrupted humid periods and light on infection of wheat leaves by *Mycosphaerella graminicola* (*Septoria tritici*), 595
Shaw, M.W. *Pests, Pathogens and Plant Communities* (book review), 313

Shtienberg, D. Effect of foliar diseases of wheat on the physiological processes affecting yield under semi-arid conditions, 533
Shtienberg, D. Effects of leaf susceptibility and fungicide seed treatment on leaf spot of Pima cotton caused by *Alternaria macrospora*, 415
Smith, F.D. see Köller, W., 608
Solel, Z. Alternaria brown spot on Minneola tangelos in Israel, 145
Spielman, L.J., Drenth, A., Davidse, L.C., Sujkowski, L.J., Gu, W., Tooley, P.W. and Fry, W.E. A second world-wide migration and population displacement of *Phytophthora infestans*?, 422
Spotts, R.A. see Whitesides, S.K., 118
Sreenivasulu, P., Demski, J.W., Reddy, D.V.R., Naidu, R.A. and Ratna, A.S. Purification and some serological relationships of tomato spotted wilt virus isolates occurring on peanut (*Arachis hypogaea*) in the USA, 503
Stead, D.E. see Lincoln, S.P., 136
Strange, R.N. see Chen, Y.M., 401
Su, H.J. see Wu, R.Y., 4
Sujkowski, L.J. see Spielman, L.J., 422
Swanepoel, A.E. see Serfontein, S., 382

Taylor, G.S. see Uma, N.U., 221
Theron, D.J. and Holtz, G. Dry rot of potatoes caused by *Gliocladium roseum*, 302
Theron, D.J. see Serfontein, S., 382
Thomas, B.J. *Electron Microscopy of Plant Pathogens* (book review), 645
Thresh, J.M. The ecology of tropical plant viruses, 324
Tooley, P.W. see Spielman, L.J., 422

Uma, N.U. and Taylor, G.S. Reaction of leek cultivars to infection by *Puccinia allii*, 221

Vakalounakis, D.J. *Albugo candida*, the cause of a serious white rust of *Lunaria biennis* in Crete, 637
van Pelt, J.A. see Dik, A.J., 25
Vanderplank, J.E. The two gene-for-gene hypotheses and a test to distinguish them, 1
Velastegui, J.R. and Ball, S.F.L. First record of *Sclerotinia sclerotiorum* on tree tomato in Ecuador, 476
Villevieille, M. see Marachoux, G., 347
Volpin, H. see Elad, Y., 278

Walkey, D.G.A. see Pink, D.A.C., 542
Walkey, D.G.A. *Viruses of Tropical Plants* (book review), 489
Walsh, J.A. and Phelps, K. Development and evaluation of a technique for screening watercress (*Rorippa nasturtium-aquaticum*) for resistance to watercress yellow spot virus and crook-root fungus (*Spongospora subterranea* f.sp. *nasturtii*), 212
Wastie, R.L. see Gans, P.T., 238
Webb, R.M. see Cotten, J., 311
Werker, A.R., Gilligan, C.A. and Hornby, D. Analysis of disease-progress curves for take-all in consecutive crops of winter wheat, 8
Wheeler, B.E.J. see Liyanage, N.I.S., 436
Whipps, J.M. see Budge, S.P., 59
White, R.F. see Chen, Z.C., 612
Whitesides, S.K. and Spotts, R.A. Induction of pear blossom blast caused by *Pseudomonas syringae* pv. *syringae*, 118
Williams, G.E. see Asher, M.J.C., 100
Wu, R.Y. and Su, H.J. Regeneration of healthy banana plantlets from banana bunchy top virus-infected tissues cultured at high temperature, 4

Yarham, D.J. *The Pesticide Manual: A World Compendium* (book review), 487

Zeng Shi-Mai PANCRIN, a prototype model of the pandemic cultivar-race interaction of yellow rust on wheat in China, 287